https://doi.org/10.14368/jdras.2022.38.1.69
ISSN 2384-4353 eISSN 2384-4272

Erratum: Comparison of capsule type resin modified glass ionomer porosity according to mixing methods

Jung-min Kim, Jin-Woo Kim, Kyung-Mo Cho, Yoon Lee, Eung-Hyun Kim, Se-Hee Park*
Department of Conservative Dentistry, College of Dentistry, Gangneung-Wonju National University, Gangneung, Republic of Korea

Erratum to: J Dent Rehabil Appl Sci 2021;37:217-24(https://doi.org/10.14368/jdras.2021.37.4.217)

The article 'Comparison of capsule type resin modified glass ionomer porosity according to mixing methods' authored by Jung-min Kim, Jin-Woo Kim, Kyung-Mo Cho, Yoon Lee, Se-Hee Park, published in December issue [Vol. 37, No. 4] of the Journal of Dental Rehabilitation and Applied Science (2021), has an erratum.

The author names were mistakenly given as Jung-min Kim, Jin-Woo Kim, Kyung-Mo Cho, Yoon Lee, Se-Hee Park.

It should be corrected as Jung-min Kim, Jin-Woo Kim, Kyung-Mo Cho, Yoon Lee, Eung-Hyun Kim, Se-Hee Park.

The same should be corrected in the English table of contents.

The Journal of Dental Rehabilitation and Applied Science apologizes to the readers for this error.

Copyright© 2022 The Korean Academy of Stomatognathic Function and Occlusion.
It is identical to Creative Commons Non-Commercial License.