https://doi.org/10.14368/jdras.2024.40.4.322
ISSN 2384-4353 eISSN 2384-4272

Corrigendum: ORCID code correction

This corrigendum is issued to correct the incorrect ORCID code for author So-Yeun Kim in the following articles.

Corrigendum to :

1. Positional deviation between CBCT-based digital facebow transfer and analog facebow transfer: case series (J Dent Rehabil Appl Sci 2023;39(3):176-85)
2. Importance and requirements for dental prosthesis order platform services: a survey of dental professionals (J Dent Rehabil Appl Sci 2023;39(3):105-18)

Correction details:

In the following articles, the ORCID code of author So-Yeun Kim was incorrectly stated as follows:

Error: 1, 2 articles ORCID: 0000-0001-8936-6110

The correct ORCID code is as follows:

Correction: ORCID: 0000-0001-6714-8315

Additional explanation:

This error resulted from an author input mistake and does not affect the content or findings of the research.

To ensure the accurate tracking and attribution of the author's academic contributions, we kindly request that the corrected ORCID code be used when citing the articles listed above.

The journal acknowledges the critical importance of precise researcher identification and academic record management.

The journal affirms its commitment to adopting more stringent verification protocols to prevent the recurrence of such errors and to uphold the highest standards of accuracy and reliability in academic publishing.

Copyright© 2024 The Korean Academy of Stomatognathic Function and Occlusion.
©It is identical to Creative Commons Non-Commercial License.